

### **AMENDMENTS TO THE CLAIMS**

Please amend claims 23 and 40 as set forth below.

#### Listing of Claims

1-22. (Canceled).

23. (Currently Amended) A device for treating a vascular aneurysm comprising:  
a support structure sized for placement at a region of said vascular aneurysm;  
said support structure having a bridge portion spanning at least a neck region of said vascular aneurysm;  
said support structure having an open, non-tubular arced configuration;  
said bridge portion including a reactive material, said reactive material being expanded when in a reacted state such that said reactive material restricts flow of blood to said vascular aneurysm when said reactive material is in a said reacted state.

24. (Previously Presented) A device according to claim 23, wherein said open, non-tubular arced configuration is a curved, coiled bridge configuration.

25. (Previously Presented) A device according to claim 24, wherein said arc of said non-tubular arced configuration substantially conforms to an arc of a body lumen near said vascular aneurysm.

26. (Previously Presented) A device according to claim 23, wherein said support structure includes a sinusoidal body portion.

27. (Previously Presented) A device according to claim 26, wherein said sinusoidal body portion is disposed between opposing ends of said support structure.

28. (Previously Presented) A device according to claim 23, wherein said bridge portion is comprised of said reactive material.

29. (Withdrawn) A device according to claim 23, wherein said reactive material is disposed on said bridge portion.

30. (Withdrawn) A device according to claim 23, wherein said open, non-tubular arced configuration is a vascular patch configuration.

31. (Withdrawn) A device according to claim 30, wherein vascular patch is comprised of interwoven support members.

32. (Withdrawn) A device according to claim 30, wherein said arc of said non-tubular arced configuration approximates a radius of curvature of a body lumen near said vascular aneurysm.

33. (Withdrawn) A device according to claim 30, wherein said arc of said non-tubular arced configuration is not greater than 270 degrees.

34. (Withdrawn) A device according to claim 30, wherein said support structure is malleable such that said arced configuration is adjustable.

35. (Withdrawn) A device according to claim 23, wherein said open, non-tubular arced configuration is an intra-aneurysmal neck bridge structure.

36. (Withdrawn) A device according to claim 35, wherein said intra-aneurysmal neck bridge structure comprises at least two engagement members sized to approximate a radius of curvature of said aneurysm.

37. (Withdrawn) A device according to claim 36, wherein said bridge portion is located on a region of each of said at least two engagement members.

38. (Withdrawn) A device according to claim 37, wherein said bridge portion is comprised of said reactive material.

39. (Withdrawn) A device according to claim 37, wherein said reactive material is disposed on said bridge portion.

40. (Currently Amended) An implant for treating a vascular aneurysm comprising:  
an implant body sized to reside at a region of said vascular aneurysm;  
said implant body having an occlusion region that substantially traverses a neck region of said vascular aneurysm;  
said implant body having an arc shape, said arc shape having a sweep less than 360 degrees;  
said occlusion region including a reactive material, said reactive material being expanded when in a reacted state such that said occlusion region substantially restricts flow of blood to said vascular aneurysm when said reactive material is in a reacted state.

41. (Previously Presented) An implant according to claim 40, wherein said implant body has a coiled bridge configuration.

42. (Withdrawn) An implant according to claim 40, wherein said implant body has a vascular patch configuration.

43. (Withdrawn) An implant according to claim 40, wherein said implant body has an intra-aneurysmal neck bridge configuration.